

## Oracle

1Z0-1113

*Oracle Helidon Microservices Developer*

- **Up to Date products, reliable and verified.**
- **Questions and Answers in PDF Format.**

### **Full Version Features:**

- **90 Days Free Updates**
- **30 Days Money Back Guarantee**
- **Instant Download Once Purchased**
- **24 Hours Live Chat Support**

### **For More Information:**

**<https://www.testsexpert.com/>**

### • **Product Version**

Visit us at <https://www.testsexpert.com/1z0-1113/>

---

# Latest Version: 6.0

## Question: 1

Which of the following operations does JPA support for data access?

Response:

- A. Create, Read, Update, Delete (CRUD)
- B. Read, Edit, Delete, Push (REDP)
- C. Get, Set, Update, Remove (GSUR)
- D. Save, Fetch, Update, Discard (SFUD)

**Answer: A**

## Question: 2

In Helidon, which configuration source has the highest priority and overrides others?

Response:

- A. Environment Variables
- B. Java System Properties
- C. YAML File
- D. Command-line Arguments

**Answer: D**

## Question: 3

Which testing approach involves testing the entire application as a whole to validate its end-to-end behavior?

Response:

- A. Unit testing
- B. End-to-end testing
- C. Integration testing
- D. System testing

**Answer: B**

---

### Question: 4

In Helidon, what does the term "GraalVM" refer to?

Response:

- A. A programming language specifically designed for Helidon microservices.
- B. A lightweight container runtime for deploying Helidon applications.
- C. A virtual machine that supports ahead-of-time (AOT) compilation for improved performance.
- D. A microservices architecture pattern commonly used with Helidon.

**Answer: C**

### Question: 5

What HTTP method is used to retrieve data from another service in WebClient?

Response:

- A. GET
- B. POST
- C. DELETE
- D. PUT

**Answer: A**

### Question: 6

How can you access metrics and tracing data in a Helidon microservice application?

Response:

- A. By calling the "getMetrics" and "getTracing" methods of the Helidon API.
- B. By accessing the "metrics" and "tracing" sections of the "pom.xml" file.
- C. By using the "metrics" and "tracing" commands in the Helidon CLI.
- D. By integrating with external monitoring and tracing systems that support OpenTelemetry.

**Answer: D**

### Question: 7

How can you reload configuration changes in a running Helidon microservice application?

Response:

- 
- A. By stopping and restarting the application.
  - B. By modifying the configuration source files directly on the file system.
  - C. By using the Config API and calling the appropriate method to reload the configuration.
  - D. Configuration changes cannot be reloaded in a running Helidon application.

**Answer: C**

### Question: 8

Which Helidon component enables the discovery and registration of microservices in a network?  
Response:

- A. Service Registry
- B. Discovery Agent
- C. Microservices Locator
- D. Network Mapper

**Answer: A**

### Question: 9

What is the primary benefit of using automated testing in Helidon applications?  
Response:

- A. It reduces the need for writing code in the application.
- B. It improves the accuracy and efficiency of testing processes.
- C. It allows developers to run tests manually when needed.
- D. Automated testing is not recommended for Helidon applications.

**Answer: B**

### Question: 10

What are some key features of Helidon MP (MicroProfile)?  
Response:

- A. Graceful shutdown, health checks, and centralized logging.
- B. Support for reactive programming, event streaming, and real-time data processing.
- C. Metrics, tracing, and distributed tracing for monitoring and diagnostics.
- D. In-memory caching, load balancing, and distributed data management.

---

**Answer: C**

For More Information – Visit link below:  
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

# Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

