

UiPath

UiTAEP

UiPath Test Automation Engineer Professional

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

For More Information:

<https://www.testsexpert.com/>

- **Product Version**

Latest Version: 6.0

Question: 1

What is the cost per runtime for running a test on the UiPath Automation Cloud robots - VM?
Response:

- A. 2,000 RUs/runtime
- B. 3,000 RUs/runtime
- C. 4,000 RUs/runtime
- D. 5,000 RUs/runtime

Answer: A

Question: 2

Can defects for manual test cases be created in UiPath Test Manager?
Response:

- A. Yes, they are created during the debug task in Manual Steps.
- B. Yes, but only using external integrations.
- C. Yes, they are created the same as for automated test cases.
- D. No, there can only be test cases for automated test cases.

Answer: C

Question: 3

What are the mandatory fields to be configured when a new Test Manager project is created?
Response:

- A. Name, Prefix
- B. Name, Prefix, Description
- C. Name, Description
- D. Name, Project ID, Description

Answer: A

Question: 4

What is the main role of test data queues within UiPath?

Response:

- A. To store and manage test data.
- B. To validate and authorize test data.
- C. To analyze and interpret test data.
- D. To create and execute test data.

Answer: A

Question: 5

Which of the following statements is true about the descriptor coverage percentage for test cases?

Response:

- A. It is relative to the total number of selectors that go into a test case execution.
- B. It shows the ratio of selectors used to the total number of available selectors in UiPath.
- C. It represents the proportion of successful selector executions to total selector executions.
- D. It indicates the percentage of workflow activities covered in a test case.

Answer: A

Question: 6

What is a necessary consideration when setting up functional tests in a CI pipeline?

Response:

- A. The tests should be run one at a time to ensure accuracy, even if it may delay the build.
- B. In order not to delay the build, try to execute the tests as quickly as possible, in parallel, on as many robots as available.
- C. Running the tests regularly is not important as long as they are included in the CI/CD pipeline.
- D. When setting up functional tests, there should be a prioritization of coverage over speed and never execute them in parallel.

Answer: B

Question: 7

Which UiPath product must be used to create coded automations?

Response:

- A. Studio Web
- B. Studio X
- C. Studio Pro
- D. Studio

Answer: D

Question: 8

Which size limit is recommended for a TMH file when importing a project into Test Manager, to avoid the import process from being aborted midway?

Response:

- A. 1GB
- B. 2GB
- C. 5GB
- D. 10GB

Answer: B

Question: 9

What can be re-executed in UiPath Orchestrator from the Test Executions tab?

Response:

- A. Whole Test Sets that are passed or failed.
- B. Only failed Test Cases.
- C. Test Cases that are passed or failed.
- D. Whole Test Sets that failed.

Answer: C

Question: 10

Which of the following is a valid input for the Verify Expression activity?

Response:

- A. OutputDatatable.Rows.Count
- B. "Test Case executed successfully."
- C. False
- D. "UserId = 1234"

Answer: C

For More Information – Visit link below:
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

