

Aacn
700

Cisco Collaboration SaaS Authorization for PreSales Engineer

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

For More Information:

<https://www.testsexpert.com/>

- Product Version



CERTSCHIEF

EMPOWERING CAREERS, ENRICHING KNOWLEDGE

Ensure Success with Up-to-Date Questions Answers

Questions and Answers (PDF)

For More Information - Visit:
<https://www.certschief.com/>

Additional Features:

- ✓ 90 Days Free Updates
- ✓ 30 Days Money Back Guarantee
- ✓ Instant Download
- ✓ 24/7 Live Chat Support



CERTSCHIEF

EMPOWERING CAREERS, ENRICHING KNOWLEDGE

Ensure Success with Up-to-Date Questions Answers

Questions and Answers (PDF)

For More Information - Visit:
<https://www.certschief.com/>

Additional Features:

- ✓ 90 Days Free Updates
- ✓ 30 Days Money Back Guarantee
- ✓ Instant Download
- ✓ 24/7 Live Chat Support

Recently updated, reliable and verified Questions and Answers in PDF Format.

Product Features:

- **3 Months Free Updates**
- **30 Days Money Back Guarantee**
- **Instant Download Once Purchased**
- **24/7 Live Chat Support (Sales & Technical)**
- **WhatsApp Chat Support**

Follow the link below to get more info:

<https://www.testsexpert.com/>

Total Questions: 80

Latest Version: 6.0

Question: 1

You are extending an SAP Fiori app. Which of the extension properties are defined in the manifest.json?
Note: There are 2 correct answers to this question.

- A. sap.ui.i18nModifications
- B. sap.ui.modelModifications
- C. sap.ui.viewModifications
- D. sap.ui.controllerExtensions

Answer: C, D

Question: 2

Your customer extends an SAP Fiori app with View Replacement. Which activities do you perform? Note: There are 2 correct answers to this question.

- A. Verify that adding custom content in the Extension Points is NOT sufficient.
- B. Create an SAPUI5 view that replaces the complete view.
- C. Create an SAPUI5 control that replaces the original control.
- D. Identify a specific SAPUI5 control to be replaced.

Answer: A, B

Question: 3

What are some extensibility options in SAPUI5? Note: There are 3 correct answers to this question.

- A. Include JavaScript, HTML, and CSS in SAPUI5-based pages
- B. Change controls in the sap.m library
- C. Create composite controls from existing SAPUI5 controls.
- D. Write new libraries and new controls.
- E. Modify SAP Fiori floorplans

Answer: A ,C, E

Question: 4

What are the lifecycle events of an SAPUI5 view controller? Note: There are 2 correct answers to this question.

- A. onbeforeEntry
- B. onExit
- C. onRendering
- D. onAfter Rendering

Answer: B, D

Question: 5

Your customer wants to enable the SAP Fiori app to be accessed in multiple languages. Which of the following activities do you perform? Note: There are 3 correct answers to this question.

- A. Encode the special characters in HTML in the resources file.
- B. Create a resource file containing key/value pairs.
- C. Create a resource file for each language.
- D. Create a resource file with a .props extension.
- E. Create a view file and a controller file for each language.

Answer: B, C, D

Question: 6

What are some advantages of the Model View Controller (MVC) design pattern used in SAPUI5? Note: There are 2 correct answers to this question.

- A. MVC artifacts can be transported and debugged separately.
- B. Allows to define several views of the same data.
- C. Allows changing the view without modifying the underlying business logic.
- D. It supports quick coding.

Answer: A, C

Question: 7

You need to bind data from a model to an SAPUI5 view control. Which of the following modes are valid?
Note: There are 3 correct answers to this question.

- A. Two-way binding
- B. Three-way binding
- C. Resource-model binding
- D. One-way binding
- E. One-time binding

Answer: A, D, E

Question: 8

Which method on the SAP NetWeaver Gateway must you use to provide deep inserts?

- A. CREATE_DEEP_INSERT_ENTITY
- B. CREATE_DEEP_ENTITY
- C. CREATE_INSERT_ENTITY
- D. CREATE_INSERT_DEEP_ENTITY

Answer: A

Question: 9

In the source code below, which of the following locations must reference the extension point?

```
1 <core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"
2 controllerName="appextension.EmployeeData" xmlns:html="http://www.w3.org/1999/xhtml">
3 <page title="Title">
4 <content>
5 <label text="First name:">
6 <input>
7 <core:extensionpoint name="forMiddleName">
8 <label text="Last name:">
9 <input>
10 <button text="Get Info" press="doGetInfo"></button>
11 </label>
12 </core:extensionpoint>
13 </label>
14 </content>
15 </page>
16 </core:view>
```

- A. Component.js
- B. EmployeeData.controller.js

- C. EmployeeData.view.xml
- D. Neo-app.json

Answer: C

Question: 10

Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct answers to this question.

- A. Reference the relevant artifacts in the bootstrap of the app.
- B. Create a css file using the SAP Business Application Studio implementing the theme.
- C. Create a module using the Web IDE implementing the theme.
- D. Create a model using the SAP Business Application Studio implementing the theme.
- E. Create a theme using the Theme Designer implementing the theme.

Answer: A, B, E

Question: 11

Which methods can you use to bind data to the controls in SAPUI5? Note: There are 3 correct answers to this question.

- A. Combination
- B. Aggregation
- C. Element
- D. Property
- E. Structure

Answer: B ,C ,D

Question: 12

In the code on the screenshot, what are the absolute paths of the property that retrieves the City value for the company Acme Inc.? Note: There are 2 correct answers to this question.


```

1  var data = {
2      regions: [
3          {
4              name: "Americas",
5              companies : [
6                  {
7                      name : "Acme Inc.",
8                      city: "Belmont"
9                  },
10                 {
11                     name : "Beam Hdg.",
12                     city: "Hancock"
13                 }
14             ]
15         }
16     ]
17 };
18
19 var oModel = new sap.ui.model.json.JSONModel();

```

- A. /regions/0/companies/0/city
- B. /regions/1/companies/1/city
- C. /region[0]/companies[0]/city
- D. /regions/companies/0/city

Answer: A, C

Question: 13

Which of the following are features of the SAPUI5 SDK? Note: There are 2 correct answers to this question.

- A. Interface for Web Dynpro
- B. Feature-rich UI controls for handling complex. UI patterns
- C. Responsiveness across browsers on non-mobile devices only
- D. Full translation support

Answer: B, D

Question: 14

What are some characteristics of fragments? Note: There are 2 correct answers to this question.

- A. Fragments have their own controller.
- B. Fragments can be a stand-alone view
- C. Fragments are light-weight UI parts that can be reused.
- D. Fragments are found by SAPUI5 Runtime using the module loading mechanism.

Answer: A, C

Question: 15

In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

```
1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10      {
11        name: "Americas",
12        companies : [
13          {
14            name : "Acme Inc.",
15            city: "Belmont"
16          },
17          {
18            name : "Beam Hdg.",
19            city: "Hancock"
20          }
21        ]
22      }
23    ]
24  };
```

- A. X: /regions/0/companies Y: name Z: city
- B. X: /regions/companies Y: name Z: city
- C. X: /regions/companies Y: companies/name Z: companies/city
- D. X: /regions/0/companies Y: companies/0/name Z: companies/0/city

Answer: D

Question: 16

Your customer requires an app to display flight information on a mobile device as detailed in the following screenshot for details. Which options can you use to display the same data in a readable format on a mobile device? Note: There are 2 correct answers to this question.



Flight No.	Date	From	To	Price	Airplane
0017	Tue Apr 07 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400
0017	Tue Apr 21 2015 20:00:00 GMT-0400 (Universal Time Clock)	new york	SAN FRANCISCO	422.94	747-400

- A. `column:<column demandpopin="true" maxscreenwidth="mobile"></column>`
- B. `column:<column demandpopin="true" minscreenwidth="tablet" popindisplay="Inline"></column>`
- C. `column:<column demandpopin="true" maxscreenwidth="mobile" popindisplay="Inline"> </column>`
- D. `column:<column demandpopin="true" minscreenwidth="tablet"></column>`

Answer: A, C

Question: 17

Which model supports deep inserts?

- A. Resource model
- B. JSON model
- C. OData model
- D. XML model

Answer: C

Question: 18

Which information is included in the SAPUI5 app's manifest.json file? Note: There are 3 correct answers to this question.

- A. Localization keys
- B. SAPUI5 dependencies

- C. Client side data-models
- D. Referenced data sources
- E. App ID, Name, and Version

Answer: B, D, E

Question: 19

Which controll can you use to create responsive table-free layouts?

- A. sap.ui.layout.VerticalLayout
- B. sap.ui.layout.HorizontalLayout
- C. sap.ui.layout.ResponsiveFlowLayout
- D. sap.ui.layout.Grid

Answer: C

Question: 20

Where are the themes saved for the SAP Fiori Launchpad?

- A. In the theme repository in back-end server
- B. In the theme tool
- C. In the UI theme designer tool
- D. In the theme repository in front-end server

Answer: D

Question: 21

Which of the following can you use to extend an SAP Fiori Elements application? Note: There are 2 correct answers to this question.

- A. Adaption extensions
- B. App extension
- C. ABAP extension
- D. CDS extension

Answer: A, B

Question: 22

Which elements are part of a list report? Note: There are 2 correct answers to this question.

- A. Cards
- B. Save as tile button
- C. Application header
- D. Visual filters

Answer: C ,D

Question: 23

Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct answers to this question.

- A. Analytical List Page
- B. Overview Page
- C. Wizard
- D. Initial Page
- E. List Report

Answer: A, B, E

Question: 24

In an SAP Fiori elements List Report page, what does the @UI.lineitem.position determine?

- A. The justification of the columns of a list
- B. The sort order of the rows of a list
- C. In which devices list columns are displayed
- D. The order of the columns of a list

Answer: D

Question: 25

Which annotations are needed in a CDS View to create an Analytic Card in an Overview Page? Note: There are 2 correct answers to this question.

- A. @ULLineItem
- B. @UI.Chart
- C. @UI.dataPoint.responsible
- D. @UI.identification

Answer: B, D

Question: 26

What are Smart Controls?

- A. The predecessor of Smart Templates
- B. Basic SAPUI5 controls recommended for standalone usage
- C. SAPUI5 controls that can be rendered dynamically according to OData service annotations
- D. Application templates for SAPUI5 applications to optimize development

Answer: C

Question: 27

You are modeling a new role for your SAP Fiori Launchpad users. Which of the following steps is an optional configuration step?

- A. Create Tiles and Target Mappings
- B. Create Catalog
- C. Assign Catalog to Role
- D. Create Group and Assign Tile

Answer: D

Question: 28

What options can you use to add UI annotations to a SAP Fiori Element Page? Note: There are 3 correct answers to this question.

- A. Add Annotations to the underlying CDS view
- B. Add Annotation to the underlying Database Table
- C. Add Annotation to the Annotation file present as a part of WebIDE project using Annotation modeler
- D. Add Annotations to the manifest file present as a part of WebIDE project using the Descriptor Edit Add
- E. Annotation with the help of a Metadata Extension

Answer: A ,C ,E

Question: 29

What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- A. All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible
- B. Can handle Complex annotations which is not a bound to a single field or entity
- C. Can Override the CDS based Annotations
- D. Local Annotations are more reusable as compared to SADL based annotations

Answer: B, C

Question: 30

What are catalog types in SAP Fiori? Note: There are 3 correct answers to this question.

- A. Tile
- B. Replicable
- C. Standard
- D. System
- E. None-typed

Answer: A, C ,D

Question: 31

What can you connect with the SAP Cloud Connector?

- A. SAP BTP services to on premise systems in a customer's network
- B. SAP API Business Hub to client devices
- C. SAP Business Application Studio to a Cordova development environment
- D. SAP BTP services to SAP Business Application Studio

Answer: A

Question: 32

Which of the following sequences is the correct sequence for the Problem Space phase in a Design Thinking workshop?

- A. Scoping → Synthesis → Ideation
- B. Discover → Design → → Deliver
- C. Scoping → Ideation → Design
- D. Scoping → 360° Research → Ideation

Answer: C

Question: 33

Why do you explore the Problem Space in detail during a Design Thinking workshop?

- A. To save costs in the evaluation phase
- B. To create desirable solutions
- C. To understand user needs
- D. To validate solution ideas

Answer: C

Question: 34

You want to use transaction /U12/FLP to start the SAP Fiori Launchpad using the Web Dispatcher. Which database table do you use to configure this?

- A. HTTPURLLOC
- B. HTTP WHITELIST
- C. HTTP CSP MADMIN
- D. HTTP_MADMIM

Answer: A

Question: 35

In a standard SAPUI5 project, which file is the Application Descriptor that contains the metadata description of the application?

- A. Manifest.json
- B. Component.js
- C. Neo-app.json
- D. Index.html

Answer: A

Question: 36

Which processes are part of the design phase when you develop SAP Fiori apps?

- A. Developing, Testing and Deploying
- B. Requirement gathering. Research and Documentation
- C. Scoping, 360 degree research and Synthesis
- D. Ideation, Prototyping and Validation

Answer: D

Question: 37

What are some of the core design principles of SAP Fiori? Note: There are 2 correct answers to this question.

- A. Role-based
- B. Multi-device support
- C. Accessibility
- D. Adaptive

Answer: A, D

Question: 38

As which app type does SAP Business Application Studio deploy an SAPUI5 app to the ABAP server?

- A. HTML5
- B. ABAP
- C. BSP
- D. OpenUI5

Answer: C

Question: 39

What are the advantages of the Sinon.JS framework? Note: There are 2 correct answers to this question.

- A. It supplies higher level test doubles for timers and AJAX requests.
- B. It is included in the SAP UI5 libraries.
- C. It supports only synchronous requests.
- D. It enables test-driven development.

Answer: A, D

Question: 40

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

```
1
2 QUnit.module("Calculator", {
3     setup: function() {
4         this.calculator = new Calculator();
5     },
6     teardown: function() {}
7 });
8 QUnit.test("show zero initially", function(assert) {
9     assert.equal(this.calculator, display(), 0);
10 });
11 QUnit.test("display entered digit", function(assert) {
12     this.calculator.press("1");
13     assert.equal(this.calculator.display(), 1);
14 });
15
```

- A. this.calculator.press("1");
- B. Teardown: function () {}
- C. QUnit.module
- D. QUnit.test

Answer: C

Question: 41

To perform a QUnit test, what do you include in a test page under your webapp folder?

- A. SAPUI5 bootstrap code
- B. Mock code

- C. OPA function
- D. Stub code

Answer: A

Question: 42

Which of the following pattern sequences are the QUnit tests based on?

- A. Arrange, Act, and Assert
- B. Given, Then, and When
- C. Assert, Act, and Arrange
- D. Given, When, and Then

Answer: A

Question: 43

What activity does the QUnit Stub functionality perform?

- A. Verifies that expected methods are called correctly.
- B. Returns values for method calls.
- C. Supplies parameters for method calls.
- D. Provides parameters and return values for method calls.

Answer: D

Question: 44

While testing an SAP Fiori app you discover that the navigation on the page does not work correctly which of the following agile pyramid options do you use?

- A. QUnit
- B. Mock server
- C. OPA
- D. Sinon

Answer: C

Question: 45

Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct answers to this question.

- A. Interdependent targets must be deployed in a single transport request
- B. To support cross-app navigation
- C. To provide different results to different users with the same intent
- D. The concrete app targets can be deployed separately

Answer: B, C

Question: 46

What are the limitations of OPA5 test? Note: There are 2 correct answers to this question.

- A. No remote test execution
- B. No screen capturing
- C. No access to JavaScript functions
- D. No automated test creation

Answer: A, B

Question: 47

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `assert.strictEqual(0,null, "true");`
- B. `assert.strictEqual(0, " ".true);`
- C. `assert.strictEqual(0,"0", "true");`
- D. `assert.strictEqual(0,-0, "true");`

Answer: C

Question: 48

You finalized your SAPUI5 app in the SAP Business Application Studio. To which of the following platforms can you deploy this app? Note: There are 2 correct answers to this question.

- A. SAP Fiori Launchpad
- B. SAPUI5 ABAP repository
- C. SAPUI5 Java repository
- D. SAP BTP

Answer: B, D

Question: 49

Which SAP Fiori application can you launch using the search function instead of a tile?

- A. Transactional
- B. Legacy
- C. Analytical
- D. Factsheet

Answer: D

Question: 50

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- A. SAP Front-End Server (FES)
- B. SAP Back-End Server (BES)
- C. SAP Web Dispatcher
- D. SAP HANA XS Engine

Answer: A

Question: 51

Which HTTP request method can you use to create an OData resource?

- A. UPDATE
- B. POST
- C. PUT
- D. CHANGE

Answer: B

Question: 52

Which SAP Fiori app types require the SAP HANA database? Note: There are 2 correct answers to this question.

- A. Factsheet
- B. Legacy
- C. Analytical
- D. Transactional

Answer: A, C

Question: 53

Which tile types can you use to display real-time data values that are read from an OData service? Note: There are 2 correct answers to this question.

- A. KPI-based tile
- B. News tile
- C. App Launcher - Dynamic tile
- D. App Launcher - Static tile

Answer: A ,C

Question: 54

You need the backend server to sort and filter the data used in your customer's app. Which SAPUI5-supported data model must you use?

- A. ResourceModel
- B. ODataModel
- C. JSONModel
- D. XMLModel

Answer: B

Question: 55

You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct answers to this question.

- A. Execute the Refresh method for an expired token.
- B. Retrieve the token and send it with each write request.
- C. Include the token in the HTTP request body of each write request.
- D. Generate a token on each read and write request.

Answer: B, C

Question: 56

Your customer requests a special create method to enable the creation of the full OData hierarchy. Which OData service method can you use?

- A. EXECUTE_DEEP_INSERT
- B. CREATE_BATCH_ENTITY
- C. CREATE_DEEP_ENTITY
- D. CREATE_STREAM

Answer: C

Question: 57

Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header? Note: There are 2 correct answers to this question.

- A. DELETE
- B. POST
- C. GET
- D. PUT

Answer: C, D

Question: 58

You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system. What do you create to implement a deep insert? Note: There are 2 correct answers to this question.

- A. A nested structure for Sales Order and Sales Order Items.
- B. A flat structure with Sales Order and Sales Order Items, and then add an expand command.
- C. An individual structures for both Sales Order and Sales Order Items, and then batch them.
- D. An object structure that defines the hierarchy.

Answer: A, D

Question: 59

Which properties do you need to configure when you use the Mock server? Note: There are 2 correct answers to this question.

- A. Service URL
- B. Destination
- C. Module path
- D. Binding type

Answer: A ,C

Question: 60

You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? Note: There are 2 correct answers to this question.

- A. oninit
- B. confirm
- C. listFilter
- D. reset

Answer: B, C

Question: 61

Which file can you use to configure internal navigation for List Report and Object Page templates?

- A. index.html file
- B. OData annotation file
- C. manifest.json file
- D. vocabulary.xml file

Answer: C

Question: 62

You created a new catalog that contains some apps. You want to assign these apps to an existing role to provide authorization for the business users. How can you do this using the PFCG transaction?

- A. By assigning the authorization profile for the catalog in the authorization tab
- B. By adding the semantic object to the catalog and group
- C. By adding the tile and target mapping to the group

D. By adding the catalog to the menu tab of the role

Answer: D

Question: 63

What type of navigation is used in SAP Fiori Launchpad applications?

- A. Scope-based navigation
- B. Action-based navigation
- C. Target-based navigation

Answer: C

Question: 64

Which of the following tile types can use an OData service to set the title properties?

- A. Static
- B. Dynamic
- C. Semi-dynamic

Answer: B

Question: 65

You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- A. Reference the tile from a SAP Business Catalog
- B. Reference the tile from Odata metadata
- C. Reference the tile from a SAP Business Group
- D. Reference the tile from a Technical Catalog provided by SAP

Answer: A

Question: 66

What are Technical Catalogs used for?
Note: There are 2 correct answers to this question.

- A. As a reference for Business Groups
- B. As a reference for Business Catalogs
- C. To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- D. To store tiles and target mappings by technology per solution area

Answer: C, D

Question: 67

To which of the following does an SAP Fiori tile point directly?

- A. An SAP Fiori app
- B. An action
- C. A target mapping with a semantic object and an action
- D. A semantic object

Answer: C

Question: 68

A business user is unable to find an application on the SAP Fiori Launchpad or on the App Finder. Which of the following options could explain why the tile is unavailable? Note: There are 3 correct answers to this question.

- A. The user does not have the proper PFCG role assigned to see the application or tile.
- B. The catalogs assigned to the user do not contain the relevant application or tile.
- C. The OData service authorization is missing.
- D. The target mapping for the tile is missing in the catalog.
- E. The end user is missing the required group containing the tile.

Answer: B ,C, E
Question: 69

Which activities does the OData Model Editor support? Note: There are 2 correct answers to this question.

- A. Test ODataModels
- B. Deploy ODataModels
- C. Edit ODataModels
- D. Create ODataModels

Answer: A, D

Question: 70

You need to consume the OData Service from the Gateway to create a new SAP Fiori app in the SAP Business Application Studio. What value do you configure in the WebIDEUsage property for the destination in the SAP BTP?

- A. odata_gen
- B. odata_abap
- C. dev_abap
- D. odata_xs

Answer: B

Question: 71

Your customer asks you to demonstrate their app with localization changes. Which activity do you perform?

- A. Configure the supported Languages settings in the Project. Son file.
- B. Show the i18n.properties file translations.
- C. Configure the run configuration file in the app.
- D. Use the preview frame in the run configuration.

Answer: B

Question: 72

Your customer asks you to add text for a new language to an app. Which file do you send to the translator?

- A. i18n.properties
- B. Component.js
- C. Master.view.xml
- D. Manifest.json

Answer: A

Question: 73

You need to configure an SAP Destination service to enable SAP Business Application Studio to extend an existing SAP Fiori app. Which configuration setting for the WebIDEUsage property is required?

- A. extend_abap
- B. ui5_execute_abap
- C. odata abap
- D. dev_abap

Answer: A

Question: 74

You need to securely connect the SAP BTP to an on-premise system. How does the SAP Cloud Connector help do this? Note: There are 2 correct answers to this question.

- A. It creates connectivity by a reverse-invoke process on the on premise system.
- B. It initiates a cloud-based reverse-invoke process.
- C. It secures an SSL tunnel between the SAP BTP and the on-premises system.
- D. It supports custom destination API configuration and certificate inspection.

Answer: C, D

Question: 75

Which of the following activities allows you to send commits from your local branch in your Git repository to the remote repository?

- A. Clone
- B. Push
- C. Save
- D. Commit

Answer: B

Question: 76

You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

- A. View Extension
- B. View Replacement
- C. View Visibility

D. View Modification

Answer: D

Question: 77

Which features of the SAP Business Application Studio help you extend a standard SAP Fiori app? Note: There are 2 correct answers to this question.

- A. The Descriptor Editor to choose elements for extension
- B. An editor to modify the data model in the extended project
- C. A wizard to generate the files for each extension possibility
- D. The Extensibility Pane to choose extension points.

Answer: A, D

Question: 78

How can you extend an SAP Fiori app? Note: There are 3 correct answers to this question.

- A. Create an adaptation project
- B. Add custom view content in a predefined extension point.
- C. Modify the properties of the view control.
- D. Modify the data model to merge data at runtime.
- E. Modify the runtime libraries that are to be loaded.

Answer: A, B ,C

Question: 79

You develop an SAPUI5 app that can be extended. To allow your customer to customize notifications, you set up a hook method. What activities are required to set up a hook method? Note: There are 3 correct answers to this question.

- A. Create a .js file in the Util folder to allow the customer to add custom code.
- B. Modify the bootstrap option to allow multi-layer extensions of the custom code.
- C. Add a code snippet to check if the method exists and execute it.
- D. Define a new function name ensuring it is reserved for the extension.
- E. Identify a strategic location in the controller for the customized code.

Answer: A, C ,E

Question: 80

What is the required content in the Component.js file for an extension project? Note: There are 2 correct answers to this question.

- A. The controller IDs
- B. The link to the parent app
- C. The namespace of the parent app
- D. The customizing section

Answer: B, C

For More Information – Visit link below:
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....





CERTS CHIEF



Full Product includes:

- >> Money Back Guarantee
- >> Instant Download after Purchase
- >> 90 Days Free Updates
- >> PDF Format Digital Download
- >> 24/7 Live Chat Support
- >> Latest Syllabus Updates

For More Information - Visit:
<https://www.certschief.com/>

16 USD Discount Coupon Code:

5QV25AH7



CERTS CHIEF



Full Product includes:

- >> Money Back Guarantee
- >> Instant Download after Purchase
- >> 90 Days Free Updates
- >> PDF Format Digital Download
- >> 24/7 Live Chat Support
- >> Latest Syllabus Updates

For More Information - Visit:
<https://www.certschief.com/>

16 USD Discount Coupon Code:

5QV25AH7

For More Information – Visit link below:
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

