

# Hitachi HCE-5211

## NAS Systems Implementation Specialist

- Up to Date products, reliable and verified.
- Questions and Answers in PDF Format.

### Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

### For More Information:

<https://www.testsexpert.com/>

### • Product Version

# Latest Version: 6.0

## Question: 1

How can performance reports (PIR) be retrieved from an HNAS node or cluster?

Response:

- A. Using the QoS dashboard
- B. Through the performance monitoring interface
- C. From the replication settings
- D. Via the encryption settings console

**Answer: B**

## Question: 2

What action should be taken to expand a storage pool in a Hitachi NAS system?

Response:

- A. Add more drives to the stripeset
- B. Increase the replication frequency
- C. Reduce the deduplication rate
- D. Enable dynamic tiering

**Answer: A**

## Question: 3

When setting up a NAS system, which protocol is most often used for Linux-based file sharing?

Response:

- A. SMB
- B. NFS
- C. iSCSI
- D. CIFS

**Answer: B**

## Question: 4

Which two utilities are essential for monitoring and managing NAS file systems?

(Choose two)

Response:

- A. Hitachi Performance Monitoring
- B. QoS toolset
- C. File system quota management
- D. Replication console

**Answer: A,C**

### Question: 5

Which network protocol is used by Hitachi NAS systems to manage file transfers between Linux systems?

Response:

- A. SMB
- B. NFS
- C. iSCSI
- D. Fibre Channel

**Answer: B**

### Question: 6

\_\_\_\_\_ replication focuses on replicating individual files across multiple systems.

Response:

- A. Block-based
- B. File-based
- C. Object-based
- D. Synchronous

**Answer: B**

### Question: 7

What are two essential steps to verify whether existing XVLs in a file system have valid migration targets?

(Choose two)

Response:

- A. Check replication configuration
- B. Use the XVL migration utility
- C. Enable snapshot functionality
- D. Review data deduplication settings

**Answer: A,B**

### Question: 8

A virtual System Management Unit (vSMU) in a Hitachi NAS system reduces the need for additional \_\_\_\_\_.

Response:

- A. hardware
- B. replication
- C. encryption
- D. nodes

**Answer: A**

### Question: 9

In Hitachi NAS systems, a \_\_\_\_\_ volume is used to define storage allocation for a specific user or application.

Response:

- A. file
- B. quota
- C. virtual
- D. snapshot

**Answer: C**

### Question: 10

When deploying a Hitachi NAS system, which of the following is a critical requirement for HDRS configuration?

Response:

- A. Multiple active directory domains

- B. Adequate storage space for snapshots
- C. Sufficient memory allocation for deduplication
- D. Dedicated replication servers

**Answer: C**

For More Information – Visit link below:  
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

## Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

