

## API

API-571

*Corrosion and Materials Professional*

- **Up to Date products, reliable and verified.**
- **Questions and Answers in PDF Format.**

### **Full Version Features:**

- **90 Days Free Updates**
- **30 Days Money Back Guarantee**
- **Instant Download Once Purchased**
- **24 Hours Live Chat Support**

### **For More Information:**

**<https://www.testsexpert.com/>**

- **Product Version**

---

# Latest Version: 8.0

## Question: 1

\_\_\_\_\_ is a change in the microstructure of certain carbon steels and 0.5 Mo steels after long term operation in the 800° F to 1100° F range.

- A. Graphitization
- B. Softening
- C. Temper Embrittlement
- D. Creep

**Answer: A**

## Question: 2

What structure is 304 stainless steel?

- A. Martensitic
- B. Austenitic
- C. Duplex
- D. Ferritic

**Answer: B**

## Question: 3

\_\_\_\_\_ is the result of cyclic stress caused by variations in temperature.

- A. Creep
- B. Thermal Fatigue
- C. Cyclic Cracking
- D. Stress Corrosion Cracking

**Answer: B**

---

### Question: 4

General or localized corrosion of carbon steels and other metals caused by dissolved salts, gases, organic compounds or microbiological activities is called \_\_\_\_\_.

- A. Flue Gas Corrosion
- B. Atmospheric Corrosion
- C. Cooling Water Corrosion
- D. None of the Above
- E. All of the Above

**Answer: C**

### Question: 5

What structure is 410 stainless steel?

- A. Martensitic
- B. Austenitic
- C. Duplex
- D. Ferritic

**Answer: A**

### Question: 6

The sudden rapid fracture under stress (residual or applied) where the material exhibits little or no evidence of ductility or plastic deformation is called \_\_\_\_\_.

- A. 885° F Embrittlement
- B. Temper Embrittlement
- C. Stress Corrosion Cracking
- D. Brittle Fracture

**Answer: D**

---

### Question: 7

What structure is 409 stainless steel?

- A. Martensitic
- B. Austenitic
- C. Duplex
- D. Ferritic

**Answer: D**

### Question: 8

Low alloy steels contain a maximum of \_\_\_\_\_ chrome.

- A. 5%
- B. 6%
- C. 7.5%
- D. 9%

**Answer: D**

### Question: 9

Which of the following can be affected by 885° F Embrittlement?

- A. 410 SS
- B. 430 SS
- C. 308 SS
- D. Alloy 2205
- E. A, B and D

**Answer: E**

---

### Question: 10

For 5Cr-0.5Mo, what is the threshold temperature for creep?

- A. 500° F
- B. 800° F
- C. 600° F
- D. 700° F

**Answer: B**

### Question: 11

\_\_\_\_\_ has been a major problem on coke drum shells.

- A. Thermal fatigue
- B. Stress cracking
- C. Erosion
- D. Temper embrittlement

**Answer: A**

### Question: 12

Thermal fatigue cracks propagate \_\_\_\_\_ to the stress and are usually dagger shaped, transgranular and oxide-filled.

- A. Axial
- B. Diagonal
- C. Transverse
- D. Angular

**Answer: C**

---

### Question: 13

Inspection for wet H<sub>2</sub>S damage generally focuses on \_\_\_\_\_ and \_\_\_\_\_.

- A. Weld seams
- B. Nozzles
- C. Trays
- D. Down comers
- E. A and B

**Answer: E**

### Question: 14

\_\_\_\_\_ is a form of erosion caused by the formation and instantaneous collapse of innumerable tiny vapor bubbles.

- A. Condensate corrosion
- B. Cavitation
- C. Dew-Point corrosion
- D. Atmospheric corrosion

**Answer: B**

### Question: 15

With CUI, corrosion rates \_\_\_\_\_ with increasing metal temperatures up to the point where the water evaporates quickly.

- A. Decrease
- B. Increase
- C. Stay the same
- D. None of the above

**Answer: B**

For More Information – Visit link below:  
<https://www.testsexpert.com/>

16\$ Discount Coupon: **9M2GK4NW**

## Features:

■ Money Back Guarantee.....



■ 100% Course Coverage.....



■ 90 Days Free Updates.....



■ Instant Email Delivery after Order.....

